

Magnat[®]

Interior IC 51



2-WAY HIGH-END IN-CEILING SPEAKER



2-WAY HIGH-END IN-CEILING SPEAKER

- Special clamping mechanism allows easy installation
- Splash-water protected according to IPX5 standard, also suitable for damp rooms (bathrooms)
- Woofer-midrange with carbon/glass fibre cone and long-throw rubber surround for maximum excursion
- 0.75" PET dome tweeter with high performance neodymium driver for best sound
- Gold-plated push terminals
- Crossover with high-quality components and 3 settings for tweeter level
- Solid protection grille

INTERIOR IC 51

2-way high-end in-ceiling loudspeaker

DRIVERS

1 x 5" woofer-midrange, 1 x 0.75" dome tweeter

POWER HANDLING (RMS/MAX)

60 / 120 watts

IMPEDANCE

6 Ω

CROSSOVER FREQUENCIES

3800 Hz

FREQUENCY RESPONSE

40 – 28000 Hz

RECOMMENDED AMPLIFIER OUTPUT

20 – 120 watts

SENSITIVITY (2.8V/1M)

88 dB

PROTECTION CLASS

IPX5

COLOUR

Weiß

DIMENSIONS

Outer dimensions: Ø 202 mm

Cutting out: Ø 168 mm

Mounting depth: 81 mm

WEIGHT

1.07 kg

ART.NO. / EAN

158 452 / 40 18843 58452 2

